



 Air Curtains World...!!
AIR CURTAINS

ستائر هوائية



www.aircurtains.net



Features

- Centrifugal System
- German Artistry
- European Quality
- A Grade Product
- Aluminum Body
- High Performance
- Long Lasting.


Get in Touch

Aircurtains World...!!

Al Qattan Street, Al Masani Ind zone
Riyadh – Saudi Arabia
+966 11 2633022
hello@aircurtains.net
www.aircurtains.net






S5



MODEL	DIMENSION (mm)	FREQUENCY (Hz)	VOLTAGE (V ~)	INPUT POWER		AIR VOLUME		AIR VELOCITY		NOISE		NET WEIGHT (Kg)
				Hi	Low	Hi	Low	Hi	Low	Hi	Low	
FM - 4009 - L/Y-S5	900 X 220 X 240	50/60	220 - 240	300	270	1400	1000	20	16	57	54	13.5
FM - 4010 - L/Y-S5	1000 X 220 X 240			320	290	1550	1100			57	54	14
FM - 4012 - L/Y-S5	1200 X 220 X 240			400	370	1900	1500			58	55	16
FM - 4015 - L/Y-S5	1500 X 220 X 240			500	470	2300	1900			61	58	20.5
FM - 4018 - L/Y-S5	1800 X 220 X 240			600	570	2850	2250			63	61	24
FM - 4020 - L/Y-S5	2000 X 220 X 240			620	590	3255	2855			64	62	27.5

Invisible Door



60A Industrial Air Curtain / Super Large Air Volume



Colors Available	Mounting Options	Max Door Height	Fan Options	Heating Options	Lengths
White / Black	Horizontal	6.0m	AC fan (standard)	Cool	0.6m/0.9m 1.0m/1.2m 1.5m/1.8m/2.0m

CODE	SIZE	AIR VOLUME	AIR VELOCITY	POWER
6012A	1200	4510-5640	20-25m/s	220V/60Hz
6015A	1500	6010-7520	20-25m/s	220V/60Hz
6018A	1800	6800-8500	20-25m/s	220V/60Hz
6020A	2000	7520-9400	20-25m/s	220V/60Hz
6512A	1200	6760	30m/s	380V/60Hz
6515A	1500	9000	30m/s	380V/60Hz
6518A	1800	10000	30m/s	380V/60Hz
6520A	2000	11200	30m/s	380V/60Hz

H7

CROSS FLOW AIR CURTAIN

STABLE PERFORMANCE



Parameters

2 SPEEDS (With Remote Control)
Voltage/Frequency: 220-240V/50Hz, or 220V/60Hz are all available.

Model	Voltage/ Frequency (V/Hz)	Input Power (W)	Air Velocity (m/s)	Air Volume (m ³ /h)	Noise (dB)	Diameter Of Impeller (mm)	Net Weight (KG)	Unit Size (mm)	Packing size (mm)	The Installation Height (m)
FM-1209H7-2 (Y)	220-240V/50Hz	150	11-12	1780	≤45	120	13	900×225×190	960×280×255	2.3-3
FM-1210H7-2 (Y)	220-240V/50Hz	160	11-12	1980	≤45	120	14.2	1000×225×190	1060×280×255	2.3-3
FM-1212H7-2 (Y)	220-240V/50Hz	170	11-12	2370	≤48	120	16.2	1200×225×190	1260×280×255	2.3-3
FM-1215H7-2 (Y)	220-240V/50Hz	180	11-12	2970	≤49	120	18.8	1500×225×190	1560×280×255	2.3-3
FM-1218H7-2 (Y)	220-240V/50Hz	240	11-12	3560	≤51	120	21.9	1800×225×190	1860×280×255	2.3-3




Metal casing



Adjustable air
deflector



High efficient
motor



Quiet wind
wheel




Remote
control



Magnetic
door

Applications: Ventilator is widely used in families and public places.



HOME


HOSPITAL

OFFICE


INFRASTRUCTURE

SHOPPING CENTER

- **Fashionable appearance design:** Adopting hexagonal hole punching, strong rigidity and fashion, serializing together with H3 and H5.
- **Unique segmented splice panel design:** front panel splicing with upper and lower plate, can be multi-matching as: white + black, all black, all white, etc.
- **High efficiency motor:** Adopting self-made motor, powerful, lower noise and more reliable.
- **Multi control ways:** With new generation remote control and manual key control design, the operation is more convenient, standard two speeds, three speeds for option, which is applicable for various places.



CENTRIFUGAL AIR DUCT,
PROVIDE EFFICIENT AND FRESH AIR.



S7

AIR CURTAIN SERIES

Specification: S7

60HZ /USING FOR 2.5-4.0M

FM-3209-L/Y	900x205x217	220-240V 60Hz	240W	210W	1100 m³ /h	High: 16m/s Low: 13m/s	12.0 KGS	<49db
FM-3210-L/Y	1000x205x217		250W	220W	1200 m³ /h		12.5 KGS	<49db
FM-3212-L/Y	1200x205x217		320W	290W	1500 m³ /h		14.5 KGS	<50db
FM-3215-L/Y	1500x205x217		410W	380W	1900 m³ /h		18.0 KGS	<53db
FM-3218-L/Y	1800x205x217		490W	460W	2280 m³ /h		21.5 KGS	<54db
FM-3220-L/Y	2000x205x217		500W	470W	2520 m³ /h		24.0 KGS	<56db

Colors Available



White

Mounting Options



Horizontal

Max Door Height



4m

Fan Options



AC fan
(standard)

Heating Options






Cooling

Lengths



0.9m/1.0m
1.2m/1.5m
1.8m/2.0m





WING C

Cold Air Curtains

MAX. AIR RANGE:
4 m

EXHAUST FLOW RATE:



100 000
SOLD EQUIPMENT
UNITS ANNUALLY

**THE HIGHEST
QUALITY**

3 YEAR GUARANTEE
FOR EACH
DEVICE

200 W/E/C



150 W/E/C



Dedicated brackets*
and fixing points
enable immediate
installation of the curtain.

* in offer

100 W/E/C



* - width does not include side covers



DEDICATED BRACKETS




FASTENING PINS

PARAMETERS	UNIT	COLD CURTAIN		
		WING C100 AC	WING C150 AC	WING C200 AC
VTS item No.		1-4-2801-0061	1-4-2801-0062	1-4-2801-0063
maximum door width (1 device)	m	1	1,5	2
maximum door height (vertical stream range)*	m		4	
maximum exhaust flow rate	m³/h	1950	3200	4600
supply voltage	V/ph/Hz	~230V / 1Ph / 60 Hz		
motor power	kW	0,15	0,18	0,26
rated current	A	1,1	1,3	1,9
weight	kg	23	31	47
protection rating	IP	20 - 44		
max. velocity	m/s	11		
casing colour	RAL	9016.7016		

Vertical air stream range

(maximum installation height)



* - air flow rate [m/s]

PVC Strip Curtains



Ribbed PVC Strip



Standard PVC Strip




Polar PVC Strips

Different Choices

- 2mm x 20cm (Polar, Ribbed, Standard)
- 3mm x 30cm (Polar, Ribbed, Standard)
- 4mm x 30cm (Polar, Ribbed, Standard)
- 4.5mm x 30cm (Standard)
- 20cm Magnetic (Polar)
- 30cm Magnetic (Polar)
- And many more....



SS Hangers 204 Std



Magnetic PVC Strips



شركة مرايا النور للصناعة

MARAYA ALNOOR INDUSTRY CO.



ROLLER BLINDS

Roller Blinds are available in 2 categories, which is Blackout and Sunscreens. Sunscreens are passing lights 1% to 5% and Blackouts are able to block 100% lights.



VERTICAL BLINDS

Vertical Blinds are Classic Looks blinds which is suitable for your offices, home, Hospitals, Schools Etc. These curtains are easily to maintain and easily can Install also.



WOODEN BLINDS

Wooden Blinds are Traditional blinds people are using many years, which is elegant looks and good privacy providing also. Its easy to Install and Maintain too.



VENETIAN BLINDS

Aluminium venetian Blinds are classic looks blinds which is suitable for your offices, home or any other places. Its made by Aluminium slates.

OUR PRODUCTS

- ROLLER BLINDS
- VERTICAL BLINDS
- WOODEN BLINDS
- VENETIAN BLINDS
- ZEBBRA BLINDS
- HOSPITAL CURTAINS
- DISPOSABLE CURTAINS
- SHOWER CURTAINS
- PVC FOLDING DOORS
- DRAPPERY CURTAINS



ZEBBRA BLINDS

Zebra Blinds are real modern blinds with elegant looks, which is called also day and night blinds, which is made by polyester.



HOSPITAL CURTAINS

Hospital Blinds are using for Privacy curtains for separates beds or tables. These materials are Antibacterials, Flame retardent and Eco friendly & Washable too.



PVC FOLDING DOORS

PVC Folding Doors are Space saving door solutions and budget friendly methods also. We are providing high quality PVC folding door in Saudi Markets.



DRAPPERY CURTAINS

Dappers are all time favorite and nice looks for your home or offices. Sheet and Fabrics draperies are giving nice looks for your home. Now wave curtains are Trendy.



MARAYA AL NOOR INDUSTRY CO.

AL QATTAN STREET,
AL MASANI INDUSTRIAL ZONE
RIYADH - SAUDI ARABIA

hello@aircurtains.net
www.aircurtains.net
www.manco.sa



CALL US

+966 - 11 - 2633022
+966 - 50 - 7011156

